



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/736,089	12/15/2003	Ajith K. Kumar	132250NP/GETS 5314.1	3281
321	7590	12/12/2008	EXAMINER	
SENNIGER POWERS LLP 100 NORTH BROADWAY 17TH FLOOR ST LOUIS, MO 63102			MANCHO, RONNIE M	
			ART UNIT	PAPER NUMBER
			3664	
			NOTIFICATION DATE	DELIVERY MODE
			12/12/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspatents@senniger.com

Office Action Summary	Application No. 10/736,089	Applicant(s) KUMAR ET AL.	
	Examiner RONNIE MANCHO	Art Unit 3664	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,8,14-16,18-22,26,50,52-58,62 and 76 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 3 8 14-16 18-22 26 50 52-58 62 and 76 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Allowable Subject Matter

1. The indicated allowability of claims 1, 3, 8 are withdrawn in view of applicant's amendments.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3, 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Swenson et al (5420883) in view of Root et al 7073753.

Regarding claim 1 Swenson et al (5420883) discloses a system for management of a multi-level railway system having a railroad infrastructure, a railroad track network, a train, a consist of the train and a locomotive of the consist and operational components of said locomotive (figs. 1-4, abstract; col. 4, line 51 to col. 5, line 50), the railway system comprising:

a first processor 80 associated with a railroad infrastructure level configured to control an operation of the railroad infrastructure, said railroad infrastructure including servicing operations;

a second processor 62 (col. 4, line 51 to col. 5, line 50) associated with a railroad track network level configured to control an operation of the railroad track network, wherein the railroad track network level is a sub-level of said railroad infrastructure level;

Art Unit: 3664

a third processor (80, 82; col. 4, line 51 to col. 5, line 50) associated with a train level configured to control an operation of the train, wherein the train level is a sub-level of said railroad track network level;

a fourth processor 72 (col. 4, line 51 to col. 5, line 50) associated with a consist level configured to control an operation of the consist, wherein the consist level is a sub-level of said train level;

said first processor 80 (col. 4, line 51 to col. 5, line 50) generating service plan data provided to at least one other processor of the system, said first processor 80 responsive to generated data generated by at least one other processor of the system to define operational characteristics and performance data for the railroad infrastructure and to generate output instructions corresponding to the defined operational characteristics and performance data for the railroad infrastructure, and said first processor controlling the operation of service operations of the railroad infrastructure in accordance with the generated output instructions for the railroad infrastructure;

said second processor 62 (col. 4, line 51 to col. 5, line 50) generating train movement plan data provided to at least one other processor of the system, said second processor responsive to service plan data provided by the first processor to define operational characteristics and performance data for the railroad infrastructure level and to generate output instructions corresponding to the defined operational characteristics and performance data for the railroad infrastructure level, and said second processor 62 controlling the operation of the railroad infrastructure level in accordance with the generated output instructions for the railroad infrastructure level;

Art Unit: 3664

said third processor (80, 82; col. 4, line 51 to col. 5, line 50) generating data provided to at least one other processor of the system, said third processor responsive to generated data generated by at least one other processor of the system to define operational characteristics and performance data for the train and to generate output instructions corresponding to the defined operational characteristics and performance data for the train, and said third processor controlling the operation of the train in accordance with the generated output instructions for the train;

said fourth processor 72 (col. 4, line 51 to col. 5, line 50) generating data provided to at least one other processor of the system, said fourth processor responsive to generated data generated by at least one other processor of the system to define operational characteristics and performance data for the consist and to generate output instructions corresponding to the defined operational characteristics and performance data for the consist, and said fourth processor controlling the operation of the consist in accordance with the generated output instructions for the consist.

Swenson et al disclose the invention above, but did not disclose that the processor 72 associated with a consist level has sub-level processor. However, Root et al (figs. 4; col. 4, line 55 to col. 5, line 65, etc) teach a system for management of a multi-level railway system comprising a fifth processor (BC, see fig. 4; col. 4, line 55 to col. 5, line 65, etc) associated with a locomotive level configured to control an operation of a locomotive, wherein the locomotive level (BC) is a sub-level of said consist level (see Wire DP locomotive control level, fig. 4),

Art Unit: 3664

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Swenson as taught by Root et al for the purpose of showing detailed control functions of processors within a consist level and a locomotive level.

Therefore Swenson (figs. 1-4, abstract; col. 4, line 51 to col. 5, line 50) in view of Root et al (figs. 4; col. 4, line 55 to col. 5, line 65, etc) disclose said fifth processor (see BC in Root; see fig. 4; col. 4, line 55 to col. 5, line 65, etc in Root) generating data provided to at least one other processor of the system, said fifth processor responsive to generated data generated by at least one other processor of the system to define operational characteristics and performance data for the locomotive and to generate output instructions corresponding to the defined operational characteristics and performance data for the locomotive, and said fifth processor controlling the operation of the locomotive in accordance with the generated output instructions for the locomotive whereby said first, second, third, fourth and fifth processors control operation of the multi-level railway system across the railroad infrastructure level, the railroad track network level, the train level, the consist level, and the locomotive level of the multi-level railway system as a function of the generated data.

Regarding claim 3 Swenson (figs. 1-4, abstract; col. 4, line 51 to col. 5, line 50) in view of Root et al (figs. 4; col. 4, line 55 to col. 5, line 65, etc) disclose the system of claim 1 wherein the input data received by the first processor associated with the railroad infrastructure level includes:

railroad infrastructure data, wherein said railroad infrastructure data includes characteristics of service facilities of the railroad infrastructure;

railroad track network data; and

Art Unit: 3664

train data; and

wherein the first processor controls the operation of the railroad infrastructure within the railroad infrastructure level based on the received infrastructure data, the received railroad track network data, and the received train data.

Regarding claim 8 Swenson (figs. 1-4, abstract; col. 4, line 51 to col. 5, line 50) in view of Root et al (figs. 4; col. 4, line 55 to col. 5, line 65, etc) disclose the system of claim 1, wherein the output instructions generated by the first processor associated with the railroad infrastructure includes operating commands, and wherein the data generated by the first processor includes operating commands to the second processor associated with the railroad track network level and commands to the third processor associated with the train level.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 14-16, 18-22, 26, 50, 52-58, 62, 76 rejected under 35 U.S.C. 102(b) as being anticipated by Polivka et al (5828979)

Regarding claim 14, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose a multi-level system for management of a railway system and its operational components, the railway system comprising:

Art Unit: 3664

a first level (col. 4, lines 39-67; col. 5, lines 1-64) configured to control a servicing operation within the first level, said first level including first level operational parameters defining operational characteristics of service facilities of the railroad infrastructure and data of the first level; and

a second level (col. 4, lines 39-67; col. 5, lines 1-64) configured to control an operation within the second level, said second level including second level operational parameters defining the operational characteristic and data of the second level over time, wherein the second level is a sub-level of said first level;

said first level providing the second level with the first level operational parameters (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) at regular scheduled intervals, and the second level providing the first level (see signal flow, figs. 2, 4-14) with the second level operational parameters at periodic intervals (col. 7, lines 29-49); and

said controlling the operation within the first level and said controlling the operation within the second level each being a function of both the first and second level operational parameters (col. 4, lines 39-67; col. 5, lines 1-64).

Regarding claim 15, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67) the system of claim 14 wherein the first level operational parameter and second level operational parameter are indicative of fuel usage in the railway system.

Regarding claim 16, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67) the system of claim 14 wherein the first level operational parameter and second level operational parameter are indicative of an economic valuation of the time of delivery of cargo carried in the railway system.

Art Unit: 3664

Regarding claim 18, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67) the system of claim 14 wherein the operational parameters are indicative of predetermined changes in conditions over a period of time (col. 7, lines 29-49).

Regarding claim 19, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67) system of claim 18 wherein the operational parameters are indicative of a rate of change in the conditions.

Regarding claim 20, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 19 wherein the rate of change is with respect to time (col. 7, lines 29-49).

Regarding claim 21, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 19 wherein the rate of change is the change in one condition with respect to another (col. 7, lines 39-67).

Regarding claim 22, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 14 wherein an operational parameter of the second level relevant to the system optimization parameter is communicated periodically from the second level to the first level for adjusting the first and second level operational parameters based thereon.

Regarding claim 26, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 22 wherein controlling the operation within the first level and controlling the operation within the second level includes identifying operating constraints and data at one of the first and second level and communicating the operating constraints and data to another of the first and second level to improve performance of operation at the another level.

Art Unit: 3664

Regarding claim 50, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose a system for management of a railway system and its operational components, the railway system comprising:

a first level (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) including first level operational parameters defining operational characteristics of service facilities of the railway system and data of the first level; and

a second level (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) including second level operational parameters configured to control an operation within the second level as a function of the first level operational parameters and second level operational parameters and wherein the second level operational parameters are indicative of changes in operational characteristics and data of the second level (col. 7, lines 3-67; col. 8, lines 1-67), wherein the second level is a sub-level of said first level; and

said second level continuously providing the first level with second level operational parameters (see signal exchange, figs. 2, 4-14), and wherein said first level continuously determines the first operational parameters as a function of the provided second level operational parameters..

Regarding claim 52, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 51 wherein the first and second level operational parameters are indicative of a change in fuel usage in the railway system.

Regarding claim 53, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 51 wherein the

Art Unit: 3664

first and second level operational parameters are indicative of a change in an economic valuation of the time of delivery of cargo carried in the railway system.

Regarding claim 54, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 50 wherein the second level operational parameters are provided from the second level to the first level at predetermined intervals.

Regarding claim 55, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 50 wherein the second level is a portion of the first level.

Regarding claim 56, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 51 wherein the system operational parameter is indicative of a rate of change in second level operational parameters.

Regarding claim 57, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 56 wherein the rate of change is with respect to time.

Regarding claim 58, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 56 wherein the rate of change is the change in one condition with respect to another.

Regarding claim 62, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 50 wherein the

Art Unit: 3664

first level monitors whether or not the optimized second level operation is within predetermined limits.

Regarding claim 76, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose the system of claim 1, wherein the generated data comprises at least one of: an operating command, an operational limitation, or information associated with the level generating said data.

Response to Arguments

5. Applicant's arguments filed 8/18/08 have been fully considered but they are all not persuasive.

6. Allowance of claims 1, 3, and 8 have been withdrawn in view of applicant's amendments and in view of newly found prior art.

The applicant is arguing that the prior art disclose the limitations in the claims. The examiner disagrees. The applicant is making references to sections that are in contrast to the sections recited by the examiner. As in claims 14, it is believed that the prior art, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose a multi-level system for management of a railway system and its operational components, the railway system comprising:

a first level (col. 4, lines 39-67; col. 5, lines 1-64) configured to control a servicing operation within the first level, said first level including first level operational parameters defining operational characteristics of service facilities of the railroad infrastructure and data of the first level; and

Art Unit: 3664

a second level (col. 4, lines 39-67; col. 5, lines 1-64) configured to control an operation within the second level, said second level including second level operational parameters defining the operational characteristic and data of the second level over time, wherein the second level is a sub-level of said first level;

said first level providing the second level with the first level operational parameters (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) at regular scheduled intervals, and the second level providing the first level (see signal flow, figs. 2, 4-14) with the second level operational parameters at periodic intervals (col. 7, lines 29-49); and

said controlling the operation within the first level and said controlling the operation within the second level each being a function of the first and second level operational parameters (col. 4, lines 39-67; col. 5, lines 1-64).

As in claims 50, it is believed that the prior art, Polivka et al (figs. 2, 4-14; col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64; col. 7, lines 3-67; col. 8, lines 1-67) disclose a system for management of a railway system and its operational components, the railway system comprising:

a first level (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) including first level operational parameters defining operational characteristics of service facilities of the railway system and data of the first level; and

a second level (col. 4, lines 39-67; col. 5, lines 1-64; col. 6, lines 36-64) including second level operational parameters configured to control an operation within the second level as a function of the first level operational parameters and second level operational parameters and wherein the second level operational parameters are indicative of changes in operational

Art Unit: 3664

characteristics and data of the second level (col. 7, lines 3-67; col. 8, lines 1-67), wherein the second level is a sub-level of said first level; and

said second level continuously providing the first level with second level operational parameters (see signal exchange, figs. 2, 4-14), and wherein said first level continuously determines the first operational parameters as a function of the provided second level operational parameters..

It is believed that the rejections are proper and thus stand.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 3664

Communication

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RONNIE MANCHO whose telephone number is (571)272-6984. The examiner can normally be reached on Mon-Thurs: 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tran Khoi can be reached on 571-272-6919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ronnie Mancho
Primary Examiner
Art Unit 3664

12/2/2008
/KHOI TRAN/
Supervisory Patent Examiner, Art Unit 3664